



**Santé Bio Solutions**  
commitment to excellence



# CATALOGUE

## POULTRY & DAIRY PRODUCT



# OUR MISSION

“ To be a leader in animal health and feed additives industry across the globe with our proven products. ”

## ABOUT US

We founded Sante Bio Solution with the aim of serving high quality result oriented products worldwide for better of animal health. Since our establishment, we have become one of the most important players in the animal health and feed additives industry with our high product quality and production technology, our innovative products, our vision, our entrepreneurial structure, and our financial strength. With our high-quality feed additives and specially prepared solution-oriented products.

Our Vision is to protect people and nature by producing healthy, reliable and high quality products with our innovative approach and high-level technological infrastructure. Briefly, “to contribute to life positively”




## WHY SANTE BIO SOLUTIONS


Sante Bio Solutions works with companies that produce high-end raw materials to produce high-quality premixes. Our focus is to contribute positively to animal health and production under our own brand and to create a permanent value for the global animal sector with our product portfolio. As Sante Bio Solutions, we are aware of our responsibility towards future generations in all aspects of economy, environment and society. We reflect this awareness by shaping a sustainable and reliable future with our corporate values and honest principles. We work




# DAIRY PRODUCT



# SANTE DAIRY



# SANTE DAIRY MAX



## COMPOSITION: EACH 25 KG CONTAINS:

Vitamin A	55,000 IU
Vitamin D3	90,000 IU
Vitamin E	1,000 mg
Zinc	4,000 mg
Manganese	3,000 mg
Copper	1,000 mg
Iodine	70 mg
Cobalt	40 mg
Selenium	15 mg

## COMPOSITION: EACH 25 KG CONTAINS:

Vitamin A	900,000 IU
Vitamin D3	100,000 IU
Vitamin E	3,000 mg
Biotin	40 mg
Zinc	7,500 mg
Manganese	5,000 mg
Copper	1,500 mg
Iodine	120 mg
Cobalt	50 mg
Selenium	60 mg
Inactive Yeast	10 %

## INDICATIONS:

Balanced combination of Vitamins and minerals that improve growth and milk production in animals.  
 Used both to overcome deficiency and to avoid deficiencies.  
 Safe and economic way to boost performance.  
 Accelerates development and bone structure in young animals  
 Improves fertility in animals.  
 Improves embryonic and fetal development.  
 Improve and boost the immunity system.

## DOSAGE & ADMINISTRATION:

Cattle & Buffalo: 55-100 gm per animal daily  
 Sheep & Goat: 10-20 gm per animal daily

## PRECAUTIONS:

Store at Room Temperature.  
 Avoid exposure to Sunlight.  
 Keep out of reach of children.

## INDICATIONS:

Balanced combination of Vitamins and minerals that improve growth and milk production in animals.  
 Used both to overcome deficiency and to avoid deficiencies.  
 Safe and economic way to boost performance.  
 Accelerates development and bone structure in young animals  
 Improves fertility in animals.  
 Improves embryonic and fetal development.  
 Improve and boost the immunity system.

## DOSAGE & ADMINISTRATION:

Cattle & Buffalo: 55-100 gm per animal daily  
 Sheep & Goat: 10-20 gm per animal daily



## PRECAUTIONS:

Store at Room Temperature.  
 Avoid exposure to Sunlight.  
 Keep out of reach of children.



# SANTE DAIRY ULTRA

# SANTE TOXINIL



## COMPOSITION: EACH 25 KG CONTAINS:

Vitamin A	1,500,000 IU
Vitamin D3	300,000 IU
Vitamin E	3,750 mg
Zinc	12,500 mg
Zinc Chelate	500 mg
Manganese	10,000 mg
Manganese Chelate	500 mg
Copper	2,750 mg
Copper Chelate	125 mg
Iodine	200 mg
Cobalt	90 mg
Biotin	50 mg
Phosphorus	19,000 mg
Selenium	75 mg
Selenium Organic	5 mg
Inactive Yeast	10 %
Antioxidant/preservative	Required amount

## COMPOSITION: EACH 25 KG CONTAINS:

Complexed hydrated aluminum silicate (Zeolite) 100%

## INDICATIONS:

Balanced combination of Vitamins and minerals that improve growth and milk production in animals.  
Used both to overcome deficiency and to avoid deficiencies.  
Safe and economic way to boost performance.  
Accelerates development and bone structure in young animals  
Improves fertility in animals.  
Improves embryonic and fetal development.  
Improve and boost the immunity system.

## DOSAGE & ADMINISTRATION:

Cattle & Buffalo: 55-100 gm per animal daily  
Sheep & Goat: 10-20 gm per animal daily

## PRECAUTIONS:

Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

## INDICATIONS:

Prevents Mycotoxin damage and improves livestock's health recovery ability.  
Has especially chosen minerals that discharge both polar (Aflatoxin, Ochratoxin) and non-polar (Trichothecenes, Zearalenone, Fumonisin) mycotoxins. Ensures the hepato-protection that counters the negative effects caused by mycotoxins.  
Minimizes the metabolic disorders  
Reduces mammary gland infections (Mastitis)  
Reduces Hoof problems (Laminitis)  
Effective against bacterial endotoxins  
Improves Productive Efficiency  
Better Reproductive Performance

## DOSAGE & ADMINISTRATION:



Cattle/ Buffalo/ Horse: 20-30 gm per head per day  
OR **Livestock and Poultry Feed:**  
Preventive: 0.5-1kg per ton of feed  
Under Challenge: 1-2 kg per ton of feed

## PRECAUTIONS:


Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



## SANTE YEAST



## SANTE ZEROTOX



### COMPOSITION: EACH 25 KG CONTAINS:

Moisture	10.50 %
Protein	45.50%
Fiber	5.40%
Ash	3.40%
Fat	2.60 %

### COMPOSITION: EACH 25 KG CONTAINS:

Complexed hydrated aluminum silicate (Sepiolite) 100%

### INDICATIONS:

It acts directly on the microflora of rumen and digestive tract. It increases the number and activity of total bacteria. It improves the growth of Anaerobic, cellulolytic bacteria.  
 Supports the development of bacteria using lactic acid.  
 Provides essential molecules for flora development.  
 Increase microbial mass.  
 Increase the pH of the rumen.  
 Provides more healthy papillae formation.  
 Facilitates elimination of lactic acid.  
 Increases the digestion of Cellulose.  
 Improves ration productivity.  
 Increase performance.

### DOSAGE & ADMINISTRATION:

Sheep/Goat: 4-8 gm per head per day  
 Cattle/ Buffalo: 10-20 gm per head per day  
 Horse: 20-30 gm per head per day OR 1-2 kg per ton of feed

### PRECAUTIONS:

Store at Room Temperature.  
 Avoid exposure to Sunlight.  
 Keep out of reach of children.

### INDICATIONS:

Prevents Mycotoxin damage and improves livestock's health recovery ability. Has especially chosen minerals that discharge both polar (Aflatoxin, Ochratoxin) and non-polar (Trichothecenes, Zearalenone, Fumonisin) mycotoxins.  
 Ensures the hepato-protection that counters the negative effects caused by mycotoxins.  
 Minimizes the metabolic disorders  
 Reduces mammary gland infections (Mastitis)  
 Reduces Hoof problems (Laminitis)  
 Effective against bacterial endotoxins  
 Improves Productive Efficiency  
 Better Reproductive Performance

### DOSAGE & ADMINISTRATION:


Cattle/ Buffalo/ Horse: 20-30 gm per head per day  
 OR  
 Livestock and Poultry Feed:  
 Preventive: 0.5-1kg per ton of feed  
 Under Challenge: 1-2 kg per ton of feed

### PRECAUTIONS:

Store at Room Temperature.  
 Avoid exposure to Sunlight.  
 Keep out of reach of children.



# SANTE ZEROTOX ULTRA



## INDICATIONS:

Superior activity against polar mycotoxins such as Aflatoxin, Ochratoxin, and Fumonisin.

A large number of binding sites make it possible to attract and retain polar toxins, denying them access to the animal.

It is critical to minimize the impact of these toxins which can affect the liver and kidney and exacerbate the effect of mixed toxins on the animal, even if only a small proportion involve polar toxins.

The low pH of 5.0 will not buffer the natural stomach acids, which benefits the gut environment. This pH provides the most suitable condition for maximizing the activity of the  $\beta$ -Glucans.

## DOSAGE & ADMINISTRATION:

The application rate is 0.5-1kg per ton

## PRECAUTIONS:

Store at Room Temperature.

Avoid exposure to Sunlight.

Keep out of reach of children.



## COMPOSITION:

### EACH 25 KG CONTAINS:

Sacc Cerevisiae	350,000 mg
Organic Acid Blend	100,000 mg
Sepiolite	450,000 mg



# POULTRY PRODUCT



## TRIVIT- FORTE

### VITAMIN A,D,E



## IMMUNE-MAX

### IMMUNE BOOSTER



#### COMPOSITION: EACH 1 LITRE CONTAINS:

Vitamin A	10 000 000 iu
Vitamin D3	600 000 iu
Vitamin E	20000 mg
Propylene Glycol	Up to 1 Liter

#### COMPOSITION: EACH 1 LITRE CONTAINS:

Vitamin E (Acetate)	200 gm
Selenium (Sodium Selenite 44%)	390 mg
Zinc	130 mg
Propylene Glycol	Up to 1 Liter

#### INDICATIONS:

It improves reproductive and productive parameters such as feed conversion rate. It has antioxidant and immune-stimulant action, improves growth and the maintenance of bone and skeletal system. For prevention and/or treatment of stress caused by vaccination, diseases, transport, high humidity, extreme temperature changes and heat stress.

#### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 10 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

#### INDICATIONS:

Immune-Max oral liquid is indicated for Vitamin E deficiencies like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability of eggs, infertility problems in poultry.

#### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 4 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



# CALPHOMAX

## ADVANCE FORMULA



# POLY-ORGACID-200

## HEALTH BOOSTER



### COMPOSITION: EACH 1 LITRE CONTAINS:

Phosphoric acid	130 gm
Magnesium chloride	250 gm
Iron chloride	1.2 gm
Manganese chloride	1.2 gm
Calcium chloride	60 gm
Zinc chloride	4.2 gm
Copper chloride	0.3 gm
Purified water	Up to 1 Liter

### COMPOSITION: EACH 1 LITRE CONTAINS:

Saccharomyces cerevisiae	150 mg
Propionic acid	45 gm
Phosphoric acid	10 gm
Formic acid	40 gm
Copper sulphate	15 gm
Lactic acid	25 gm
Citric acid	7 gm
Betaine	20 gm
Inositol	10 gm
Purified water	Up to 1 Liter

### INDICATIONS:

Calphomax has been formulated as a source of calcium in poultry. It also aids in faster recovery and healing of fractures and promotes healthy bones and good growth. It is a premium supplement that is thick syrup that fulfills calcium and phosphorus, vitamins and amino acid deficiencies in poultry.

### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 2- 4 liters of drinking water

### PRECAUTIONS:

- Use fresh medicated water daily.
- Store at Room Temperature.
- Avoid exposure to Sunlight.
- Keep out of reach of children.

### INDICATIONS:

It is indicated to reduce gastrointestinal pH, promotes gastric acid secretions. It Improves digestive enzyme activity and promotes digestion and absorption of nutrients from the gastro-intestinal tract. It regulates metabolism thereby enhancing poultry immunity. It is effective in stress conditions and it improves poultry production and performance.

### DOSAGE & ADMINISTRATION:

Poultry: 500ml – 1000 ml / 400 liters of D.W for 3 – 5 days

### PRECAUTIONS:

- Use fresh medicated water daily.
- Store at Room Temperature.
- Avoid exposure to Sunlight.
- Keep out of reach of children.



## IMMUNE GUARD

### IMMUNE BOOSTER



## CALPHOVIT

### CALCIUM PLUS



#### COMPOSITION:

#### EACH 1 LITRE CONTAINS:

Vitamin E Acetate	200 000 mg
Selenium (Sodium Selenite 44%)	1000 mg
Mono-Propylene Glycol	70000 mg

#### COMPOSITION:

#### EACH 1 LITRE CONTAINS:

Calcium (Calcium Gluconate 93%)	25 gm
Phosphorous (Phosphoric Acid 80%)	15 gm
Vitamin D3	7000 IU
Arginine	2000 mg
Glycine	4000 mg
Proline	2000 mg
Polysorbate 80	50 gm
Purified water	Up to 1 Liter

#### INDICATIONS:

Immune Guard oral liquid is indicated for Vitamin E deficiencies like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems in poultry.

#### DOSAGE & ADMINISTRATION:

Poultry: 1 Liter / 1000 liters of D.W

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

#### INDICATIONS:

Calphovit has been formulated as a source of calcium in poultry. It also aids in faster recovery and healing of fractures and promotes healthy bones and good growth. It is a premium supplement that is thick syrup that fulfills calcium and phosphorus, vitamins and amino acid deficiency, Optimal supplementation of calcium improves joint health by making bones stronger.

#### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 2 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



## RESPI SHIELD FORTE

### RESPIRATORY SOLUTION



## SEPTICIDAL - FORTE

### GUT TONIC



#### COMPOSITION: EACH 1 LITRE CONTAINS:

Bromhexine HCl	10000 mg
Paracetamol	80000 mg
Thymol oil	10000 mg
Menthol	20000 mg
Eucalyptus oil	20000 mg
Vitamin C	50000 mg
Ambroxol HCl	20000 mg
Aminophylline	30000 mg
Sorbitol	5000 mg

#### INDICATIONS:

It is indicated for the prevention of respiratory problems especially related with bronchial plugs and it strengthens the protective mechanism & functioning of respiratory system. It is useful in CRD, Infectious Bronchitis, influenza and related respiratory diseases. It prevents & treats respiratory disease complex like Broncho-pneumonia & Infectious Sinusitis. It is also effective in respiratory & associated symptoms like cough, nasal discharge, tracheal rales, gasping & labored breathing. It is effective during pre & post vaccination therapy of New Castle Disease. It stimulates the appetite and enhances the overall performance.

#### DOSAGE & ADMINISTRATION:

Poultry: 1 ml / 4 liter of drinking water for 3 – 5 days

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

#### COMPOSITION: EACH 1 LITRE CONTAINS:

Lauric acid	40 gm
Mono-diglycerid acid lauric	98 gm
Butyric acid	105 gm
Mono-diglycerid acid butyric	312 gm
Capric acid	5.5 gm
Mono-diglycerid acid capric	35 gm
Caprylic acid	3 gm
Mono-diglycerid acid caprylic	22 gm
Glycerol	350 gm
Carrier	Up to 1 Liter

#### INDICATIONS:

Septicidal Forte is as an alternative to replace AGPs to control the incidence and severity of NE in poultry. It belongs to a group of promising feed-additives of short- and medium-chain fatty acids (SCFA and MCFA, respectively) and their derivatives. The use of SCFA and MCFA, including butyric, caproic, caprylic, capric, and lauric acids, have shown strong effects against NE in broilers both at experimental and commercial levels. These fatty acids also benefit intestinal health integrity and homeostasis. Other effects have also been documented, including increases in intestinal angiogenesis and gene expression of tight junctions. Chemical modifications to improve stability and point of release in the intestine have been shown to improve the efficacy of SCFA and MCFA and their derivatives.

#### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 2 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



## SUMMEROL-100

### BEAT THE HEAT



## LIVERPOOL-FORTE

### HEALTH BOOSTER



#### COMPOSITION: EACH 1 LITRE CONTAINS:

Potassium citrate	100 gm
Sodium citrate	50 gm
Magnesium sulphate	50 gm
Betain HCl	40 gm
Sodium bicarbonate	70 gm
Sodium chloride	100 gm
Menthol	10 gm
Vitamin C	60 gm
Thymus vulgaris oregano	100 gm
Distilled water	Up to 1 Liter

#### COMPOSITION: EACH 1 LITRE CONTAINS:

Sorbitol	35000 mg
Carnitine	90000 mg
Choline Chloride	60000 mg
Betain	30000 mg
Acetyl methionine	25000 mg
Silymarine extract	2000 mg
Inositol	10000 mg
Vitamin B3	2000 mg
L-aspartic acid	10000 mg
L-glutamic acid	5000 mg
L-glycin	5000 mg
Magnesium sulphate	50000 mg
Boldo extract	5000 mg
Artichoke extract	7000 mg

#### INDICATIONS:

The Poultry Electrolytes, sodium, chloride, potassium and citrate are indicated for recovery of electrolyte and acid/base imbalances prior to and after transportation, in extreme temperatures (high or low) and other kinds of stress.

#### DOSAGE & ADMINISTRATION:

Poultry: 1 ml / 4 liters of D.W for 3 – 5 days

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

#### INDICATIONS:

Liverpool-Forte is a complete all in one liver tonic indicated for prevention of liver damage from mycotoxins and it prevents perosis. It minimizes liver damage due to pathogens like bacteria, virus and fungi to overcome hypertrophy of liver. It increases liver secretions for better digestion and boost liver function. It is effective for faster recovery from stress & diseases of all types. It enhances flock immunity, improves growth, FCR, fertility & hatchability.

#### DOSAGE & ADMINISTRATION:

Poultry: 500ml – 1000 ml / 400 liters of D.W for 3 – 5 days

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



# ELECTROSOL - FORTE

## ELECTROLYTE PLUS



# MENTOLIN-FORTE

## RESPIRATORY RELIEVER



### COMPOSITION:

#### EACH 1 LITRE CONTAINS:

Betain HCl	60000 mg
DL-Methionine	50000 mg
Choline Chloride	50000 mg
L-Carnitine	50000 mg
Vitamin C	50000 mg
vitamin E	50000 mg
Ammonium chloride	10000 mg
Sodium chloride	10000 mg
Sodium citrate	8000 mg
Potassium chloride	4400 mg
Menthol	5000 mg
Thymol	8000 mg
Dextrose	70000 mg
Sorbitol	100000 mg
Excipients Q.S up to	1000 ml

### COMPOSITION:

#### EACH 1 LITRE CONTAINS:

Eucalyptol	90000 mg
Thymol	20000 mg
Sorbitol	100000 mg
Vitamin E	5000 mg
Menthol	90000 mg
Carvacrol	90000 mg
Camphre	20000 mg
Cinnamaldehyde	48000 mg
Citric acid	20000 mg
Vitamin A	100000 IU
Tributyryne	100000 mg
Sodium gluconate	60000 mg
Monopropylene glycol	10300 mg

### INDICATIONS:

Electrosol-Forte is a blend of selected aminoacids, vitamins and minerals designated for flock health and help restore electrolyte levels in poultry following stress from heat, illness and other environmental changes. Heat stress is especially serious in chickens because of the difficulty in regulating their own body temperature. Excess heat can put chickens at risk for an electrolyte imbalance due to mineral loss. These minerals may not always be replenished through their diet, which is why supplementation is so important to maintain a healthand electrolyte balance. It contains group of organic salts and electrolytes which act as diuretic and stimulate renal functions in addition to electrolytes supplement.

### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 4 liters of drinking water

### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

### INDICATIONS:

**Spray method:** Dilute at the rate of 500 ml for 10 liters of water. Spray (fine nozzle) over the birds (aerial spray or aerosol generator) at the rate of 10 liters of solution for 20000 birds or 2000 cubic meters.

**For regular breathing problems:** 400 ml / 1000 liters of drinking water for 2-4 days.

**Heat stress:** 300 ml / 1000 liters of drinking water for 3-4 days.  
Post-vaccination reactions: 400 ml / 1000 liters (2 days after vaccination for 3 days in drinking water).

### DOSAGE & ADMINISTRATION:

Poultry: 200 – 400 ml / 1000 liters of drinking water for 3 – 4 days.


### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



# GROW-PRO

## VITAMIN A,D,E



# AVIKOOL

## COOLANT



### COMPOSITION: EACH 1 LITRE CONTAINS:

Vitamin A	10 000 000 iu	Serine	850 mg
Vitamin D3	4 500 000 iu	Isoleucine	900 mg
Vitamin E	8500 mg	Phenylalanine	730 mg
Vitamin K3	2250 mg	Valine	1020 mg
Vitamin B1	1000 mg	Glutamic acid	3090 mg
Vitamin B2	1000 mg	Methionine	320 mg
Vitamin B3	15000 mg	Tryptophane	200 mg
Vitamin B5	1500 mg	Alanine	1290 mg
Vitamin B6	1500 mg	Glycin	780 mg
Vitamin B12	15 mg	Histidine	370 mg
Lysine	1240 mg	Leucine	1360 mg
Cystine	370 mg	Tyrosine	340 mg
Threonine	830 mg	Aspartic acid	1840 mg
Arginine	710 mg		

### COMPOSITION: EACH 1 LITRE CONTAINS:

Sorbitol	350000 mg
Carnitine	90000 mg
Choline Chloride	60000 mg
Betain	30000 mg
Acetyl methionine	25000 mg
Silymarine extract	2000 mg
Inositol	10000 mg
Vitamin B3	2000 mg
L-aspartic acid	10000 mg
L-glutamic acid	5000 mg
L-glycin	5000 mg
Magnesium sulphate	50000 mg
Boldo extract	5000 mg
Artichoke extract	7000 mg

### INDICATIONS:

Grow-Pro is a balanced liquid combination of vitamins and amino acids designed for the additional, short-term supplementation via the drinking water. It is especially indicated for the prevention of hypo-vitaminosis and amino acid deficiencies in case of vaccination, subclinical diseases, changes of feed composition and other stress involving conditions in poultry.

### DOSAGE & ADMINISTRATION:

Poultry: 1 ml / 4 liters of D.W for 3 – 5 days

### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

### INDICATIONS:

Liverpool-Forte is a complete all in one liver tonic indicated for prevention of liver damage from mycotoxins and it prevents perosis. It minimizes liver damage due to pathogens like bacteria, virus and fungi to overcome hypertrophy of liver. It increases liver secretions for better digestion and boost liver function. It is effective for faster recovery from stress & diseases of all types. It enhances flock immunity, improves growth, FCR, fertility & hatchability.

### DOSAGE & ADMINISTRATION:

Poultry: 500ml – 1000 ml / 400 liters of D.W for 3 – 5 days

### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



## PARAMOL-C COOLANT PLUS



## RESPITRIL-FORTE RESPIRATORY RELIVER



### COMPOSITION: EACH 1 LITRE CONTAINS:

Vitamin C	100 gm
Paracetamol	100 gm
Betain	20000 mg

### COMPOSITION: EACH 1 LITRE CONTAINS:

Bromhexine HCl	1000 mg
Paracetamol	80000 mg
Menthol	40000 mg
Eucalyptus	80000 mg
Vitamin C	50000 mg
Polysorbate 80	200000 mg
Vitamin E	5000 mg
Thymol	1000 mg
Sorbitol	3000 mg
Excipients up to	1 LITER

### INDICATIONS:

PARAMOL-C is a unique combination of Vitamin C, Paracetamol. It acts as antipyretic, anti-inflammatory and analgesic. It can be effectively used to develop immunity by reducing stress during vaccination, de-beaking, heat and cold stress and transportation stress.

It is effective in viral and bacterial problems and helps to improve disease and stress conditions.

### DOSAGE & ADMINISTRATION:

Poultry: 1 ml / 2 liters of D.W for 3 – 5 days

### PRECAUTIONS:

- Use fresh medicated water daily.
- Store at Room Temperature.
- Avoid exposure to Sunlight.
- Keep out of reach of children.

### INDICATIONS:

Respiril-Forte is a product containing powerful natural disinfectants with an antibacterial effect in the respiratory tract. They control the airway mucous hyper secretion (decongestant effect) while they stimulate the local immune response system. They have an anti-inflammatory activity and a good local analgesic effect. It is effectively used in the respiratory infections in poultry such as bronchitis. It acts by relaxing the smooth muscles, removes congestion, enhances the expectoration, dries the post nasal drip and increases the bronchial dilation. It has a cooling and refreshing sensation. It is also advised in heat stress conditions in poultry.

### DOSAGE & ADMINISTRATION:

Poultry: 250 ml / 1000 liters of D.W for 3 – 5 days

### PRECAUTIONS:

- Use fresh medicated water daily.
- Store at Room Temperature.
- Avoid exposure to Sunlight.
- Keep out of reach of children.



# POLYVIT

## MULTI VITAMIN



### INDICATIONS:

- Increases the FCR.
- Increases egg production.
- Improve weight gain in broilers.
- Enhances appetite in poultry.
- Stimulates the metabolism.
- Achieves better absorption of feed through the digestive system.

### DOSAGE & ADMINISTRATION:

Poultry: 1ml / 4 liters of drinking water

### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



### COMPOSITION:

#### EACH 1 LITRE CONTAINS:

Vitamin B2	5000 mg
Vitamin B6	2000 mg
Vitamin B12	700 mg
Vitamin B5	8000 mg
Nicotinic Acid	3000 mg
Vitamin K3	25000 mg
Vitamin E	3000 mg
Biotin	500 mg
Betain hci	17000 mg
Choline chloride	4500 mg
Distilled water	Up to 1 Liter



## LYZO-IMMUNE PLUS

### IMMUNE BOOSTER

## ASCORCID-100

### BEAT THE STRESS



#### COMPOSITION: EACH 1 KG CONTAINS:

Lysozymes  
Vitamin E

40 %  
10 %

#### COMPOSITION: EACH 1 KG CONTAINS:

Vitamin C

98 % (w/w)

#### INDICATIONS:

It is indicated to enhance immunity by repairing tissues. It has inhibitory effects on pathogens such as Staphylococcus aureus, Streptococcus, E. coli, Clostridial perfringins and other pathogens. It has significant effect on IBD, ND, Influenza and viral respiratory diseases.

It has synergistic activity with different antibiotics to improve microbial intestinal environment after using for long durations. It increases digestibility, absorption, growth rate and FCR significantly.

#### DOSAGE & ADMINISTRATION:

Poultry: 1 gm / 2 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.

#### INDICATIONS:

It is indicated to strengthen the immune system and to enhance the quality of egg shells. It improves hatchability considerably as it helps in absorption of calcium thereby improving the strength of tissues. It is used as supportive therapy in pain, fever and inflammation; before and after vaccination and in heat stress.

#### DOSAGE & ADMINISTRATION:

Poultry: 1 gm / 10 liters of drinking water

#### PRECAUTIONS:

Use fresh medicated water daily.  
Store at Room Temperature.  
Avoid exposure to Sunlight.  
Keep out of reach of children.



# LYZO-IMMUNE FORTE

## IMMUNE BOOSTER



### INDICATIONS:

It is indicated to enhance immunity by repairing tissues. It has inhibitory effects on pathogens such as Staphylococcus aureus, Streptococcus, E. coli, Clostridial perfringins and other pathogens. It has significant effect on IBD, ND, Influenza and viral respiratory diseases.

It has synergistic activity with different antibiotics to improve microbial intestinal environment after using for long durations. It increases digestibility, absorption, growth rate and FCR significantly.

### DOSAGE & ADMINISTRATION:

Poultry: 1 gm / 2 liters of drinking water

### PRECAUTIONS:

Use fresh medicated water daily.

Store at Room Temperature.

Avoid exposure to Sunlight.

Keep out of reach of children.



### COMPOSITION:

#### EACH 1 KG CONTAINS:

Lysozymes  
Vitamin E

50 %  
50 %





**Santé Bio Solutions**  
commitment to excellence



# CONTACT US

 +372 56 087966

[WWW.SANTEBIOSOLUTIONS.EE](http://WWW.SANTEBIOSOLUTIONS.EE)

JARVEVANA TEE 9, TALLINN - 11314, ESTONIA.

